

WHITE BODY

PORCELAIN TILES

600X600 mm



17201


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17202

Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17203

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17204

Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17205

Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17206


Sugar Series



WHITE BODY

PORCELAIN TILES


600X600 mm



HL-1

17207

Sugar Series



HL-2

WHITE BODY

PORCELAIN TILES

600X600 mm



17208


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17209

Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17210

Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17211


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17212

Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17213

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17214

Sugar Series




Light



Dark


WHITE BODY

PORCELAIN TILES
600X600 mm



17215

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17216

Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17217

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17218


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17219

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17220

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17221


Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17222


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17223


Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17224

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17225


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17226


Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17227


Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17228


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17229


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17230

Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17231

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17232


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17233

Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17234

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17235


Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17236

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17237


Sugar Series



WHITE BODY


PORCELAIN TILES

600X600 mm



17238

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17239

Sugar Series



WHITE BODY

PORCELAIN TILES

600X600 mm



17240

Sugar Series



TECHNICAL SPECIFICATION

Particulars	Standard as per ISO 13006/EN 176	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	± 5%	± 3%	EN 98
Straightness Of Sides	± 0.5%	± 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	± 0.5%	± 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10945.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE 3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545 - 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	NIII	NIII	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note : Colour Shown are as accurate as the limitations of the printing process will allow. Prospective Customer Are advised to inspect a sample of the tiles before ordering every effort has been made to ensure the Accuracy of the information given. However, the Company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing instruction on the cartons of the tiles as on responsibility can be accepted by the company once the tiles have been fixed.

PACKING DETAIL

Size	Thickness	No. of Tiles	Area Approx.	Weight Approx.
600 X 600 MM	9 MM	4 Pcs.	1.44 Sq. Mtr.	28 Kg.

UTILITY OF FLOOR TILES

